

**LONG POINT FIRST NATION**

**MAINTENANCE MANAGEMENT PLAN**







**LONG POINT FIRST NATION**  
**DRINKING WATER MAINTENANCE MANAGEMENT PROGRAM**

Equipement	Maintenance	Jan	Feb	Mar	Apr	May	June	Juil	Aug	Sept	Oct	Nov	Dec	Others
<b>DISTRIBUTION AND CHLORINE STATION</b>														
Metering pump n° 1 and dosage point	Clean foot valve	X	X	X	X	X	X	X	X	X	X	X	X	
	Change and clean pump tube	X	X	X	X	X	X	X	X	X	X	X	X	
	Change and clean dosing line	X	X	X	X	X	X	X	X	X	X	X	X	
	Change and clean check valve	X	X	X	X	X	X	X	X	X	X	X	X	
	Clean injector	X	X	X	X	X	X	X	X	X	X	X	X	
Metering pump n° 2 and dosage point	Clean foot valve	X	X	X	X	X	X	X	X	X	X	X	X	
	Change and clean pump tube	X	X	X	X	X	X	X	X	X	X	X	X	
	Change and clean dosing line	X	X	X	X	X	X	X	X	X	X	X	X	
	Change and clean check valve	X	X	X	X	X	X	X	X	X	X	X	X	
	Clean injector	X	X	X	X	X	X	X	X	X	X	X	X	
Control valve	Clean and inpect screen				X						X			
Gate valves	Operate				X						X			
	Grease stem				X						X			
Wall mounted gate valves	Operate				X						X			
	Grease stem				X						X			
Air and vacuum valves	Inspect for leaks, debris and blockage				X						X			













































# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 1

## IDENTIFICATION AND LOCATION

Street name : Azadi

Civic number : 202

## CARACTERISTICS

Make and model : Mueller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




## FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 2

### IDENTIFICATION AND LOCATION

Street name : Corner Maigan and Migizi

Civic number : \_\_\_\_\_

### CARACTERISTICS

Make and model : McAvity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



### MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

### ABNORMALITIES






## FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 3

### IDENTIFICATION AND LOCATION

Street name : Maigan

Civic number : 504

### CARACTERISTICS

Make and model : McAvity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



### MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

### ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 4

## IDENTIFICATION AND LOCATION

Street name : Maigan

Civic number : 510

## CARACTERISTICS

Make and model : McAivity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 5

## IDENTIFICATION AND LOCATION

Street name : Naneweac  
Civic number : 138

## CARACTERISTICS

Make and model : McAavity M67  
Outlet combination : 2,5" ; 2,5" ; 4" Storz  
Valve Box : \_\_\_\_\_  
Isolation Valve : \_\_\_\_\_  
Auto drain : \_\_\_\_\_  
Pressure Rating : \_\_\_\_\_  
Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_  
Dynamic pressure : \_\_\_\_\_  
Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 6

## IDENTIFICATION AND LOCATION

Street name : Kijigate

Civic number : 205

## CARACTERISTICS

Make and model : McAivity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 7

## IDENTIFICATION AND LOCATION

Street name : Kijigate

Civic number : 211

## CARACTERISTICS

Make and model : Concorde D67M Premiere

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 8

## IDENTIFICATION AND LOCATION

Street name : Naneweac

Civic number : 126

## CARACTERISTICS

Make and model : McAivity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




## FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 9

### IDENTIFICATION AND LOCATION

Street name : Kakinwawigak

Civic number : 118

### CARACTERISTICS

Make and model : McAivity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



### MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

### ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 11

## IDENTIFICATION AND LOCATION

Street name : Pawitig

Civic number : 201

## CARACTERISTICS

Make and model : McAivity M67

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES






# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 12

## IDENTIFICATION AND LOCATION

Street name : Pawitig (Clinic)

Civic number : 207

## CARACTERISTICS

Make and model : Concord D-67M

Outlet combination : 2,5" ; 2,5"

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 13

## IDENTIFICATION AND LOCATION

Street name : Pawitig

Civic number : 214

## CARACTERISTICS

Make and model : Concorde D67M Premiere

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 14

## IDENTIFICATION AND LOCATION

Street name : Ocki

Civic number : 603

## CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




## FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 15

### IDENTIFICATION AND LOCATION

Street name : Ocki

Civic number : 614

### CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



### MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

### ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 16

## IDENTIFICATION AND LOCATION

Street name : Kete (Clinic)

Civic number : \_\_\_\_\_

## CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 17

## IDENTIFICATION AND LOCATION

Street name : Pawitig

Civic number : 221

## CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 18

## IDENTIFICATION AND LOCATION

Street name : New School

Civic number : \_\_\_\_\_

## CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES




# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 19

## IDENTIFICATION AND LOCATION

Street name : New Road

Civic number : \_\_\_\_\_

## CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES






# FIRE HYDRANT INFORMATION SHEET

FIRE HYDRANT N° : 20

## IDENTIFICATION AND LOCATION

Street name : New Road

Civic number : \_\_\_\_\_

## CARACTERISTICS

Make and model : Muller

Outlet combination : 2,5" ; 2,5" ; 4" Storz

Valve Box : \_\_\_\_\_

Isolation Valve : \_\_\_\_\_

Auto drain : \_\_\_\_\_

Pressure Rating : \_\_\_\_\_

Year : \_\_\_\_\_



## MOST RECENT READINGS

Date : \_\_\_\_\_

Static pressure : \_\_\_\_\_

Dynamic pressure : \_\_\_\_\_

Flow (m<sup>3</sup>/min) : \_\_\_\_\_

## ABNORMALITIES
